Contents

The Journal of Clinical Investigation
July 1995, Volume 96, Number 1

Editorials

Close Encounters with ET-1. *K. R. Chien* 1

The renal adaptation to pregnancy is now "NOS"-talgic. *J. G. Umans and M. D. Lindheimer* 4

Regular Articles

Mechanism of insulin receptor kinase inhibition in non–insulin-dependent diabetes mellitus patients. Phosphorylation of serine 1327 or threonine 1348 is unaltered. *M. Kellerer, M. Coghlan, E. Capp, A. Mühlhöfer, G. Kroder, L. Mosthaf, P. Galante, K. Siddle, and H. U. Häring* 6

Perception of bronchial obstruction in asthmatic patients. Relationship with bronchial eosinophilic inflammation and epithelial damage and effect of corticosteroid treatment. *G. L. Roisman, C. Peiffer, J. G. Lacronique, A. Le Cae, and D. J. Dusser* 12

Glomerular permselectivity in proteinuric patients after kidney transplantation. *R. Oberbauer, M. Haas, H. Regele, U. Barnas, A. Schmidt, and G. Mayer* 22

Identification of thyroid stimulating hormone receptor–specific T cells in Graves' disease thyroid using autoantigen-transfected Epstein-Barr virus–transformed B cell lines. *R. J. Mullins, S. B. A. Cohen, L. M. C. Webb, Y. Chernajovsky, C. M. Dayan, M. Londei, and M. Feldmann* 30

The inhibitory activity of human interleukin-1 receptor antagonist is enhanced by type II interleukin-1 soluble receptor and hindered by type I interleukin-1 soluble receptor. *D. Burger, R. Chicheportiche, J. G. Giri, and J.-M. Dayer* 38

Growth inhibitory properties of endothelin-1 in human hepatic myofibroblastic Ito cells. An endothelin B receptor-mediated pathway. *A. Mallat, L. Fouassier, A.-M. Préaux, C. Serradeil-Le Gal, D. Raufaste, J. Rosenbaum, D. Dhumeaux, C. Jouneaux, P. Mavier, and S. Lotersztajn* 42

Inhibition of calcitriol receptor binding to vitamin D response elements by uremic toxins. *S. R. Patel, H.-Q. Ke, R. Vanholder, R. J. Koenig, and C. H. Hsu* 50

Nitric oxide decreases cytokine-induced endothelial activation. Nitric oxide selectively reduces endothelial expression of adhesion molecules and proinflammatory cytokines. *R. De Caterina, P. Libby, H.-B. Peng, V. J. Thannickal, T. B. Rajavashisth, M. A. Gimbrone, Jr., W. S. Shin, and J. K. Liao* 60

Immediate–early gene induction and MAP kinase activation during recovery from metabolic inhibition in cultured cardiac myocytes. *A. Yao, T. Takahashi, T. Aoyagi, K.-i. Kinugawa, O. Kohmoto, S. Sugiura, and T. Serizawa* 69

Defective removal of cellular cholesterol and phospholipids by apolipoprotein A-I in Tangier disease. *G. A. Francis, R. H. Knopp, and J. F. Oram* 78

Relationships of generalized and regional adiposity to insulin sensitivity in men. *N. Abate, A. Garg, R. M. Peshock, J. Stray-Gundersen, and S. M. Grundy* 88

Protective effects of a glucocorticoid on downregulation of pulmonary β_2-adrenergic receptors in vivo. *J. C. W. Mak, M. Nishikawa, H. Shirasaki, K. Miyayasu, and P. J. Barnes* 99

Acid aspiration–induced lung injury in rabbits is mediated by interleukin-8–dependent mechanisms. *H. G. Folkesson, M. A. Matthay, C. A. Hébert, and V. C. Broaddus* 107

Activation of Cl secretion during chemical hypoxia by endogenous release of adenosine in intestinal epithelial monolayers. *J. B. Matthews, K. J. Tally, J. A. Smith, A. J. Zeind, and B. J. Hrnjez* 117

Metabolic abnormalities in skeletal muscle of patients receiving zidovudine therapy observed by ^{31}P in vivo magnetic resonance spectroscopy. *T. M. Sinnwell, K. Sivakumar, S. Soueidan, C. Jay, J. A. Frank, A. C. McLaughlin, and M. C. Dalakas* 126

In vivo glucosamine infusion induces insulin resistance in normoglycemic but not in hyperglycemic conscious rats. *L. Rossetti, M. Hawkins, W. Chen, J. Gindi, and N. Barzilai* 132

Nitric oxide inhibits angiotensin II–induced migration of rat aortic smooth muscle cell. Role of cyclic-nucleotides and angiotensin$_1$ receptors. *R. K. Dubey, E. K. Jackson, and T. F. Lüscher* 141

A pentanucleotide repeat polymorphism in the 5′ control region of the apolipoprotein(a) gene is associated with lipoprotein(a) plasma concentrations in Caucasians. *M. Trommsdorff, S. Köchl, A. Lingenhel, F. Kronenberg, R. Delport, H. Vermaak, L. Lemming, I. C. Klausen, O. Faergeman, G. Utermann, and H.-G. Kraft* 150

Linkage between obesity and a marker near the tumor necrosis factor-α locus in Pima Indians. *R. A. Norman, C. Bogardus, and E. Ravussin* . . . 158

Effects of opioid antagonists naloxone and naltrexone on neuropeptide Y-induced feeding and brown fat thermogenesis in the rat. Neural site of action. *C. M. Kotz, M. K. Grace, J. Briggs, A. S. Levine, and C. J. Billington* 163

Activation of polymorphonuclear leukocytes reduces their adhesion to P-selectin and causes redistribution of ligands for P-selectin on their surfaces. *D. E. Lorant, R. P. McEver, T. M. McIntyre, K. L. Moore, S. M. Prescott, and G. A. Zimmerman* 171

Osmolar regulation of endothelin signaling in rat renal medullary interstitial cells. *M. A. Vernace, P. F. Mento, M. E. Maita, E. P. Girardi, M.-d. Y. Chang, E. P. Nord, and B. M. Wilkes* 183

Cell polarity of the insulin-like growth factor system in human intestinal epithelial cells. Unique apical sorting of insulin-like growth factor binding protein-6 in differentiated human colon cancer cells. *M. Remacle-Bonnet, F. Garrouste, F. El Atiq, J. Marvaldi, and G. Pommier* 192

Expression of cryptantigen Th on paroxysmal nocturnal hemoglobinuria erythrocytes in association with a hemolytic exacerbation. *H. Nakakuma, M. Hidaka, S. Nagakura, Y. Nishimura, N. Iwamoto, K. Horikawa, T. Kawaguchi, T. Kagimoto, and K. Takatsuki* 201

Dexamethasone modulates rat renal brush border membrane phosphate transporter mRNA and protein abundance and glycosphingolipid composition. *M. Levi, J. A. Shayman, A. Abe, S. K. Gross, R. H. McCluer, J. Biber, H. Murer, M. Lötscher, and R. E. Cronin* 207

Deficient antigen-presenting cell function in multiple genetic complementation groups of type II bare lymphocyte syndrome. *S. Kovats, G. T. Nepom, M. Coleman, B. Nepom, W. W. Kwok, and J. S. Blum* . . . 217

Comparison of full-length sequences of interferon-sensitive and resistant hepatitis C virus 1b. Sensitivity to interferon is conferred by amino acid substitutions in the NS5A region. *N. Enomoto, I. Sakuma, Y. Asahina, M. Kurosaki, T. Murakami, C. Yamamoto, N. Izumi, F. Marumo, and C. Sato* 224

Stress-induced activation of neuronal activity and corticotropin-releasing factor gene expression in the paraventricular nucleus is modulated by glucocorticoids in rats. *T. Imaki, W. Xiao-Quan, T. Shibasaki, K. Yamada, S. Harada, N. Chikada, M. Naruse, and H. Demura* 231

Mevalonate availability affects human and rat resistance vessel function. *J.-B. Roullet, H. Xue, C. M. Roullet, W. S. Fletcher, M. J. Cipolla, C. T. Harker, and D. A. McCarron* 239

Identification of macrophage and stress-induced proteins of *Mycobacterium tuberculosis*. *B.-Y. Lee and M. A. Horwitz* 245

Expression of a tumor necrosis factor-α transgene in murine lung causes lymphocytic and fibrosing alveolitis. A mouse model of progressive pulmonary fibrosis. *Y. Miyazaki, K. Araki, C. Vesin, I. Garcia, Y. Kapanci, J. A. Whitsett, P.-F. Piguet, and P. Vassalli* 250

Hepatic overexpression of bovine scavenger receptor type I in transgenic mice prevents diet-induced hyperbetalipoproteinemia. *S. Wölle, D. P. Via, L. Chan, J. A. Cornicelli, and C. L. Bisgaier* 260

Hypoxia selectively induces proliferation in a specific subpopulation of smooth muscle cells in the bovine neonatal pulmonary arterial media. *J. D. Wohrley, M. G. Frid, E. P. Moiseeva, E. C. Orton, J. K. Belknap, and K. R. Stenmark* 273

Localization of the Kv1.5 K^+ channel protein in explanted cardiac tissue. *D. J. Mays, J. M. Foose, L. H. Philipson, and M. M. Tamkun* 282

Aortic arch malformations and ventricular septal defect in mice deficient in endothelin-1. *Y. Kurihara, H. Kurihara, H. Oda, K. Maemura, R. Nagai, T. Ishikawa, and Y. Yazaki* 293

Dual inhibition of nitric oxide and prostaglandin production contributes to the antiinflammatory properties of nitric oxide synthase inhibitors. *D. Salvemini, P. T. Manning, B. S. Zweifel, K. Seibert, J. Connor, M. G. Currie, P. Needleman, and J. L. Masferrer* 301

Overexpression of GLUT3 placental glucose transporter in diabetic rats. *P. Boileau, C. Mrejen, J. Girard, and S. Hauguel-de Mouzon* 309

Production and localization of 92-kilodalton gelatinase in abdominal aortic aneurysms. An elastolytic metalloproteinase expressed by aneurysm-infiltrating macrophages. *R. W. Thompson, D. R. Holmes, R. A. Mertens, S. Liao, M. D. Botney, R. P. Mecham, H. G. Welgus, and W. C. Parks* 318

Parathyroid hormone gene expression in hypophosphatemic rats. *R. Kilav, J. Silver, and T. Naveh-Many* 327

Immune response to the carcinoembryonic antigen in patients treated with an anti-idiotype antibody vaccine. *K. A. Foon, M. Chakraborty, W. J. John, A. Sherratt, H. Köhler, and M. Bhattacharya-Chatterjee* . . . 334

Uteroglobin gene expression in the rabbit uterus throughout gestation and in the fetal lung. Relationship between uteroglobin and eicosanoid levels in the developing fetal lung. *A. Peri, N. H. Dubin, R. Dhanireddy, and A. B. Mukherjee* 343

Blood pressure lowering by pioglitazone. Evidence for a direct vascular effect. *T. A. Buchanan, W. P. Meehan, Y. Y. Jeng, D. Yang, T. M. Chan, J. L. Nadler, S. Scott, R. K. Rude, and W. A. Hsueh* 354

Regulation of taurine transport by *Escherichia coli* heat-stable enterotoxin and guanylin in human intestinal cell lines. *M. Brandsch, S. Ramamoorthy, N. Marczin, J. D. Catravas, J. W. Leibach, V. Ganapathy, and F. H. Leibach* 361

Interstitial fluid concentrations of glycerol, glucose, and amino acids in human quadricep muscle and adipose tissue. Evidence for significant lipolysis in skeleton muscle. *D. G. Maggs, R. Jacob, F. Rife, R. Lange, P. Leone, M. J. During, W. V. Tamborlane, and R. S. Sherwin* 370

Vasopressin resistance in chronic renal failure. Evidence for the role of decreased V_2 receptor mRNA. *I. Teitelbaum and S. McGuinness* 378

Cross-Talk between calcium and cAMP-dependent intracellular signaling pathways. Implications for synergistic secretion in T_{84} colonic epithelial cells and rat pancreatic acinar cells. *M. Vajanaphanich, C. Schultz, R. Y. Tsien, A. E. Traynor-Kaplan, S. J. Pandol, and K. E. Barrett* 386

Glutathione peroxidase potentiates the inhibition of platelet function by S-nitrosothiols. *J. E. Freedman, B. Frei, G. N. Welch, and J. Loscalzo* . . 394

Inhibitors of cyclic nucleotide phosphodiesterase isozymes type-III and type-IV suppress mitogenesis of rat mesangial cells. *K. Matousovic, J. P. Grande, C. C. S. Chini, E. N. Chini, and T. P. Dousa* 401

Identification of a contractile function for renal medullary interstitial cells. *A. K. Hughes, W. H. Barry, and D. E. Kohan* 411

Superantigen properties of a human sialoprotein involved in gut-associated immunity. *G. J. Silverman, P. Roben, J.-P. Bouvet, and M. Sasano* 417

Mechanisms and time course of impaired skeletal muscle glucose transport activity in streptozocin diabetic rats. *R. Napoli, M. F. Hirshman, and E. S. Horton* 427

Mechanical stress activates protein kinase cascade of phosphorylation in neonatal rat cardiac myocytes. *T. Yamazaki, I. Komuro, S. Kudoh, Y. Zou, I. Shiojima, T. Mizuno, H. Takano, Y. Hiroi, K. Ueki, K. Tobe, T. Kadowaki, R. Nagai, and Y. Yazaki* 438

Cell-specific expression of transforming growth factor-β in rat liver. Evidence for autocrine regulation of hepatocyte proliferation. *D. M. Bissell, S.-S. Wang, W. R. Jarnagin, and F. J. Roll* 447

Secretory leukocyte protease inhibitor: a human saliva protein exhibiting anti–human immunodeficiency virus 1 activity in vitro. *T. B. McNeely, M. Dealy, D. J. Dripps, J. M. Orenstein, S. P. Eisenberg, and S. M. Wahl* 456

Urokinase receptor is a multifunctional protein: influence of receptor occupancy on macrophage gene expression. *N. K. Rao, G.-P. Shi, and H. A. Chapman* 465

Inhibition of collagenase and stromelysin gene expression by interferon-γ in human dermal fibroblasts is mediated in part via induction of tryptophan degradation. *J. Varga, T. Yufit, and R. R. Brown* 475

Acute blockade of nitric oxide synthase inhibits renal vasodilation and hyperfiltration during pregnancy in chronically instrumented conscious rats. *L. A. Danielson and K. P. Conrad* 482

Sulindac sulfide, an aspirin-like compound, inhibits proliferation, causes cell cycle quiescence, and induces apoptosis in HT-29 colon adenocarcinoma cells. *S. J. Shiff, L. Qiao, L.-L. Tsai, and B. Rigas* . . . 491

Lipoxygenase contributes to the oxidation of lipids in human atherosclerotic plaques. *V. A. Folcik, R. A. Nivar-Aristy, L. P. Krajewski, and M. K. Cathcart* 504

Direct adhesion to bone marrow stroma via fibronectin receptors inhibits hematopoietic progenitor proliferation. *R. W. Hurley, J. B. McCarthy, and C. M. Verfaillie* 511

Insulin secretory defects in polycystic ovary syndrome. Relationship to insulin sensitivity and family history of non–insulin-dependent diabetes mellitus. *D. A. Ehrmann, J. Sturis, M. M. Byrne, T. Karrison, R. L. Rosenfield, and K. S. Polonsky* 520

Intestinal apolipoprotein AI gene transcription is regulated by multiple distinct DNA elements and is synergistically activated by the orphan nuclear receptor, hepatocyte nuclear factor 4. *G. S. Ginsburg, J. Ozer, and S. K. Karathanasis* 528

Ovariectomy enhances and estrogen replacement inhibits the activity of bone marrow factors that stimulate prostaglandin production in cultured mouse calvariae. *H. Kawaguchi, C. C. Pilbeam, S. J. Vargas, E. E. Morse, J. A. Lorenzo, and L. G. Raisz* 539

Infection of a human respiratory epithelial cell line with rhinovirus. Induction of cytokine release and modulation of susceptibility to infection by cytokine exposure. *M. C. Subauste, D. B. Jacoby, S. M. Richards, and D. Proud* 549

Molecular structure and transcription regulation of the gene for the platelet-derived growth factor α receptor in cultured vascular smooth muscle cells. *Y. Kitami, H. Inui, S. Uno, and T. Inagami* 558

A functional cyclic AMP response element plays a crucial role in neuroendocrine cell type–specific expression of the secretory granule protein chromogranin A. *H. Wu, S. K. Mahata, M. Mahata, N. J. G. Webster, R. J. Parmer, and D. T. O'Connor* 568

Forearm beta adrenergic receptor–mediated vasodilaton is impaired, without alteration of forearm norepinephrine spillover, in borderline hypertension. *C. M. Stein, R. Nelson, R. Deegan, H. He, M. Wood, and A. J. J. Wood* 579

T cell proliferative response induced by DNA topoisomerase I in patients with systemic sclerosis and healthy donors. *M. Kuwana, T. A. Medsger, Jr., and T. M. Wright* 586

Expression of GTPase-deficient Ras inhibits vasopressin signaling in cultured cortical collecting duct cells. *R. Wong, L. Heasley, L. Ao, and T. Berl* 597

1,25-Dihydroxyvitamin D upregulates the phosphatidylinositol signaling pathway in human keratinocytes by increasing phospholipase C levels. *S. Pillai, D. D. Bikle, M.-J. Su, A. Ratnam, and J. Abe* 602

Preferential activation and expansion of human peripheral blood $\gamma\delta$ T cells in response to *Toxoplasma gondii* in vitro and their cytokine production and cytotoxic activity against *T. gondii*–infected cells. *C. S. Subauste, J. Y. Chung, D. Do, A. H. Koniaris, C. A. Hunter, J. G. Montoya, S. Porcelli, and J. S. Remington* 610

Experimental liver cirrhosis induced by alcohol and iron. *H. Tsukamoto, W. Horne, S. Kamimura, O. Niemelä, S. Parkkila, S. Ylä-Herttuala, and G. M. Brittenham* 620

Rapid Publications

Increased nitric oxide synthase activity despite lack of response to endothelium-dependent vasdilators in postischemic acute renal failure in rats. *J. Conger, J. Robinette, A. Villar, L. Raij, and P. Shultz* 631

Expression of fibrinolytic genes in atherosclerotic abdominal aortic aneurysm wall. A possible mechanism for aneurysm expansion. *J. Schneiderman, G. M. Bordin, I. Engelberg, R. Adar, D. Seiffert, T. Thinnes, E. F. Bernstein, R. B. Dilley, and D. J. Loskutoff* 639

Expression and localization of the cystic fibrosis transmembrane conductance regulator mRNA and its protein in rat brain. *A. E. Mulberg, L. P. Resta, E. B. Wiedner, S. M. Altschuler, D. M. Jefferson, and D. L. Broussard* 646

July Author Index 653

Contents

The Journal of Clinical Investigation
August 1995, Volume 96, Number 2

Editorial

Fibrosis linked to TGF-β in yet another disease. *W. A. Border and N. A. Noble* 655

Regular Articles

Rat kidney thromboxane receptor: molecular cloning, signal transduction, and intrarenal expression localization. *T. Abe, K. Takeuchi, N. Takahashi, E. Tsutsumi, Y. Taniyama, and K. Abe* 657

Effect of glucagon on intracellular pH regulation in isolated rat hepatocyte couplets. *D. Alvaro, P. Della Guardia, A. Bini, A. Gigliozzi, S. Furfaro, T. La Rosa, C. Piat, and L. Capoccaccia* 665

The importance of a lipopolysaccharide-initiated, cytokine-mediated host defense mechanism in mice against extraintestinally invasive *Escherichia coli*. *A. Cross, L. Asher, M. Seguin, L. Yuan, N. Kelly, C. Hammack, J. Sadoff, and P. Gemski, Jr.* 676

Linkage of the angiotensinogen gene locus to human essential hypertension in African Caribbeans. *M. Caulfield, P. Lavender, J. Newell-Price, M. Farrall, S. Kamdar, H. Daniel, M. Lawson, P. De Freitas, P. Fogarty, and A. J. L. Clark* 687

A mutation in the dystrophin gene selectively affecting dystrophin expression in the heart. *F. Muntoni, L. Wilson, G. Marrosu, M. G. Marrosu, C. Cianchetti, L. Mestroni, A. Ganau, V. Dubowitz, and C. Sewry* 693

Adenovirus-mediated transfer of a gene encoding cholesterol 7α-hydroxylase into hamsters increases hepatic enzyme activity and reduces plasma total and low density lipoprotein cholesterol. *D. K. Spady, J. A. Cuthbert, M. N. Willard, and R. S. Meidell* 700

Zonula occludens toxin modulates tight junctions through protein kinase *C*–dependent actin reorganization, in vitro. *A. Fasano, C. Fiorentini, G. Donelli, S. Uzzau, J. B. Kaper, K. Margaretten, X. Ding, S. Guandalini, L. Comstock, and S. E. Goldblum* 710

Impairment of glucose-induced insulin secretion in human pancreatic islets transplanted to diabetic nude mice. *L. Jansson, D. L. Eizirik, D. G. Pipeleers, L. A. Håkan Borg, C. Hellerström, and A. Andersson* . . 721

FK506 augments activation-induced programmed cell death of T lymphocytes in vivo. *K. Migita, K. Eguchi, Y. Kawabe, T. Tsukada, A. Mizokami, and S. Nagataki* 727

Identification of the mechanism for the inhibition of Na^+,K^+-adenosine triphosphatase by hyperglycemia involving activation of protein kinase C and cytosolic phospholipase A_2. *P. Xia, R. M. Kramer, and G. L. King* 733

Fibrates increase human apolipoprotein A-II expression through activation of the peroxisome proliferator-activated receptor. *N. Vu-Dac, K. Schoonjans, V. Kosykh, J. Dallongeville, J.-C. Fruchart, B. Staels, and J. Auwerx* 741

Purification and partial sequencing of the major mitogen for human uterine smooth muscle–like cells in leiomyoma extracts. *A. Sourla and M. Koutsilieris* 751

Enhanced G protein activation in immortalized lymphoblasts from patients with essential hypertension. *W. Siffert, D. Rosskopf, A. Moritz, T. Wieland, S. Kaldenberg-Stasch, N. Kettler, K. Hartung, S. Beckmann, and K. H. Jakobs* 759

Parathyroid hormone increases the concentration of insulin-like growth factor-I and transforming growth factor beta 1 in rat bone. *J. Pfeilschifter, F. Laukhuf, B. Müller-Beckmann, W. F. Blum, T. Pfister, and R. Ziegler* 767

Identification of an idiotypic peptide recognized by autoantibodies in human immunodeficiency virus-1–infected individuals. *Q. L. Wang, H.-T. Wang, E. Blalock, S. Müller, and H. Köhler* 775

Congential human thyroglobulin defect due to low expression of the thyroid-specific transcription factor TTF-1. *A. Acebrón, P. Aza-Blanc, D. L. Rossi, L. Lamas, and P. Santisteban* 781

Insulin-mediated skeletal muscle vasodilation contributes to both insulin sensitivity and responsiveness in lean humans. *A. D. Baron, H. O. Steinberg, H. Chaker, R. Leaming, A. Johnson, and G. Brechtel* . . 786

Deleterious effects of calcium channel blockade on pressure transmission and glomerular injury in rat remnant kidneys. *K. A. Griffin, M. M. Picken, and A. K. Bidani* 793

Excessive insulin receptor serine phosphorylation in cultured fibroblasts and in skeletal muscle. A potential mechanism for insulin resistance in the polycystic ovary syndrome. *A. Dunaif, J. Xia, C.-B. Book, E. Schenker, and Z. Tang* 801

Evidence of a role for GTP in the potentiation of Ca^{2+}-induced insulin secretion by glucose in intact rat islets. *M. Meredith, M. E. Rabaglia, and S. A. Metz* 811

Endogenous expression of type II cGMP-dependent protein kinase mRNA and protein in rat intestine. *T. Markert, A. B. Vaandrager, S. Gambaryan, D. Pöhler, C. Häusler, U. Walter, H. R. De Jonge, T. Jarchau, and S. M. Lohmann* 822

Somatic mutation and CDR3 lengths of immunoglobulin κ light chains expressed in patients with rheumatoid arthritis and in normal individuals. *S. L. Bridges, Jr., S. K. Lee, M. L. Johnson, J. C. Lavelle, P. G. Fowler, W. J. Koopman, and H. W. Schroeder, Jr.* 831

Linoleic acid and its metabolites, hydroperoxyoctadecadienoic acids, stimulate c-*fos*, c-*jun*, and c-*myc* mRNA expression, mitogen-activated protein kinase activation, and growth in rat aortic smooth muscle cells. *G. N. Rao, R. W. Alexander, and M. S. Runge* 842

Localization of the angiotensin II and its receptor subtype expression in human endometrium and identification of a novel-high-affinity angiotensin II binding site. *A. Ahmed, X. F. Li, M. Shams, J. Gregory, T. Rollason, N. M. Barnes, and J. R. Newton* 848

Favorable left ventricular remodeling following large myocardial infarction by exercise training. Effect on ventricular morphology and gene expression. *T. L. Orenstein, T. G. Parker, J. W. Butany, J. M. Goodman, F. Dawood, W.-H. Wen, L. Wee, T. Martino, P. R. McLaughlin, and P. P. Liu* 858

EVN-specific cytotoxic T lymphocyte responses in HIV seronegative health care workers occupationally exposed to HIV-contaminated body fluids. *L. A. Pinto, J. Sullivan, J. A. Berzofsky, M. Clerici, H. A. Kessler, A. L. Landay, and G. M. Shearer* 867

Recognition of clonogenic leukemic cells, remission bone marrow and HLA-identical donor bone marrow by CD8+ or CD4+ minor histocompatibility antigen-specific cytotoxic T lymphocytes. *L. M. Faber, J. van der Hoeven, E. Goulmy, A. L. Hooftman-den Otter, S. A. P. van Luxemburg-Heijs, R. Willemze, and J. H. F. Falkenburg* . . 877

Role of interleukin-1 in the pathogenesis of experimental shigellosis. *P. J. Sansonetti, J. Arondel, J.-M. Cavaillon, and M. Huerre* 884

Thyroid hormone-regulated brain mitochondrial genes revealed by differential cDNA cloning. *E. Vega-Núñez, A. Menéndez-Hurtado, R. Garesse, A. Santos, and A. Perez-Castillo* 893

Effects of rhIGF-I administration on bone turnover during short-term fasting. *S. K. Grinspoon, H. B. A. Baum, S. Peterson, and A. Klibanski* . 900

Interleukin 4 activates a signal transducer and activator of transcription (Stat) protein which interacts with an interferon-γ activation site–like sequence upstream of the I$_\kappa$ exon in a human B cell line. Evidence for the involvement of Janus kinase 3 and interleukin-4 Stat. *X. Fenghao, A. Saxon, A. Nguyen, Z. Ke, D. Diaz-Sanchez, and A. Nel* 907

Tumor necrosis factor–α modulates monocyte/macrophage apoprotein E gene expression. *H. Duan, Z. Li, and T. Mazzone* 915

Transcriptional induction of prostaglandin G/H synthase-2 by basic fibroblast growth factor. *H. Kawaguchi, C. C. Pilbeam, G. Gronowicz, C. Abreu, B. S. Fletcher, H. R. Herschman, L. G. Raisz, and M. M. Hurley* 923

Treatment of marrow stroma with interferon-α restores normal β1 integrin–dependent adhesion of chronic myelogenous leukemia hematopietic progenitors. Role of MIP-1α. *R. Bhatia, P. B. McGlave, and C. M. Verfaillie* 931

Platelet activating factor produced in vitro by Kaposi's sarcoma cells induces and sustains in vivo angiogenesis. *F. Bussolino, M. Arese, G. Montrucchio, L. Barra, L. Primo, R. Benelli, F. Sanavio, M. Aglietta, D. Ghigo, M. Rola-Pleszczynski, A. Bosia, A. Albini, and G. Camussi* . . 940

Endothelial cell injury initiates glomerular sclerosis in the rat remnant kidney. *L. K. Lee, T. W. Meyer, A. S. Pollock, and D. H. Lovett* 953

Rabbit model of Lyme borreliosis: erythema migrans, infection-derived immunity, and identification of *Borrelia burgdorferi* proteins associated with virulence and protective immunity. *D. M. Foley, R. J. Gayek, J. T. Skare, E. A. Wagar, C. I. Champion, D. R. Blanco, M. A. Lovett, and J. N. Miller* 965

Muscle-specific overexpression of lipoprotein lipase causes a severe myopathy characterized by proliferation of mitochondria and peroxisomes in transgenic mice. *S. Levak-Frank, H. Radner, A. Walsh, R. Stollberger, G. Knipping, G. Hoefler, W. Sattler, P. H. Weinstock, J. L. Breslow, and R. Zechner* 976

Collagen-induced arthritis in the BB rat. Prevention of disease by treatment with CTLA-4-Ig. *D. B. Knoerzer, R. W. Karr, B. D. Schwartz, and L. J. Mengle-Gaw* 987

Colchicine alters the quantitative and qualitative display of selectins on endothelial cells and neutrophils. *B. N. Cronstein, Y. Molad, J. Reibman, E. Balakhane, R. I. Levin, and G. Weissmann* 994

Insulin action on heart and skeletal muscle glucose uptake in essential hypertension. *P. Nuutila, M. Mäki, H. Laine, M. J. Knuuti, U. Ruotsalainen, M. Luotolahti, M. Haaparanta, O. Solin, A. Jula, V. A. Koivisto, L.-M. Voipio-Pulkki, and H. Yki-Järvinen* 1003

Murine laminin bind to *Histoplasma capsulatum*. A possible mechanism of dissemination. *J. P. McMahon, J. Wheat, M. E. Sobel, R. Pasula, J. F. Downing, and W. J. Martin II* 10.0

Induction of heparin-binding epidermal growth factor–like growth factor mRNA in rat kidney after acute injury. *T. Homma, M. Sakai, H. F. Cheng, T. Yasuda, R. J. Coffey, Jr., and R. C. Harris* 1018

Downregulation of *mdr*-1 expression by 8-Cl-cAMP in multidrug resistant MCF-7 human breast cancer cells. *S. Scala, A. Budillon, Z. Zhan, Y. S. Cho-Chung, J. Jefferson, M. Tsokos, and S. E. Bates* . . . 1026

Restricted usage of T cell receptor Vα-Vβ genes in infiltrating cells in the hearts of patients with acute myocarditis and dilated cardiomyopathy. *Y. Seko, S. Ishiyama, T. Nishikawa, T. Kasajima, M. Hiroe, N. Kagawa, K. Osada, S. Suzuki, H. Yagita, K. Okumura, and Y. Yazaki* 1035

Tumor necrosis factor-α gene and protein expression in adult feline myocardium after endotoxin administration. *S. Kapadia, J. Lee, G. Torre-Amione, H. H. Birdsall, T. S. Ma, and D. L. Mann* 1042

The role of fibrinogen D domain intermolecular association sites in the polymerization of fibrin and fibrinogen Tokyo II (γ275 Arg→Cys). *M. W. Mosesson, K. R. Siebenlist, J. P. DiOrio, M. Matsuda, J. F. Hainfeld, and J. S. Wall* 1053

Natriuretic peptides inhibit angiotensin II-induced proliferation of rat cardiac fibroblasts by blocking endothelin-1 gene expression. *H. Fujisaki, H. Ito, Y. Hirata, M. Tanaka, M. Hata, M. Lin, S. Adachi, H. Akimoto, F. Marumo, and M. Hiroe* 1059

Recurrent ischemia in the canine heart causes recurrent bursts of free radical production that have a cumulative effect on contractile function. A pathophysiological basis for chronic myocardial "stunning". *R. Bolli, M. Zughaib, X.-Y. Li, X.-L. Tang, J.-Z. Sun, J. F. Triana, and P. B. McCay* 1066

Nitric oxide suppression of human hematopoiesis in vitro. Contribution to inhibitory action of interferon-γ and tumor necrosis factor-α. *J. P. Maciejewski, C. Selleri, T. Sato, H. J. Cho, L. K. Keefer, C. F. Nathan, and N. S. Young* 1085

Interleukin-1β modulates the growth and phenotype of neonatal rat cardiac myocytes. *C. M. Thaik, A. Calderone, N. Takahashi, and W. S. Colucci* 1093

Dominant expression of type III hyperlipoproteinemia. Pathophysiological insight derived from the structural and kinetic characteristics of ApoE-1(Lys^{146}→Glu). *W. A. Mann, P. Lohse, R. E. Gregg, R. Ronan, J. M. Hoeg, L. A. Zech, and H. B. Brewer, Jr.* . . 1100

The δ T cell receptor repertoire in human colon and peripheral blood is oligoclonal irrespective of V region usage. *W. Holtmeier, Y. Chowers, A. Lumeng, E. Morzycka-Wroblewska, and M. F. Kagnoff* 1108

Rapid Publications

Treatment of severe hypercholesterolemia in apolipoprotein E–deficient mice by bone marrow transplantation. *W. A. Boisvert, J. Spangenberg, and L. K. Curtiss* 1118

Effective prevention of thrombocytopenia in mice using adenovirus-mediated transfer of *HST-1 (FGF-4)* gene. *H. Konishi, T. Ochiya, H. Sakamoto, M. Tsukamoto, I. Saito, T. Muto, T. Sugimura, and M. Terada* 1125

Mitochondrial respiration scavenges extramitochondrial superoxide anion via a nonenzymatic mechanism. *D. M. Guidot, J. E. Repine, A. D. Kitlowski, S. C. Flores, S. K. Nelson, R. M. Wright, and J. M. McCord* 1131

Expression of transforming growth factor-β1 in dystrophic patient muscles correlates with fibrosis. Pathogenetic role of a fibrogenic cytokine. *P. Bernasconi, E. Torchiana, P. Confalonieri, R. Brugnoni, R. Barresi, M. Mora, F. Cornelio, L. Morandi, and R. Mantegazza* . . . 1137

Sickle erythrocytes, after sickling, regulate the expression of the endothelin-1 gene and protein in human endothelial cells in culture. *M. Phelan, S. P. Perrine, M. Brauer, and D. V. Faller* 1145

Adenovirus-mediated expression of a voltage-gated potassium channel in vitro (rat cardiac myocytes) and in vivo (rat liver). A novel strategy for modifying excitability. *D. C. Johns, H. B. Nuss, N. Chiamvimonvat, B. M. Ramza, E. Marban, and J. H. Lawrence* 1152

Neurovascular dysfunction in diabetic rats. Potential contribution of autoxidation and free radicals examined using transition metal chelating agents. *N. E. Cameron and M. A. Cotter* 1159

Two receptor systems are involved in the plasma clearance of tissue-type plasminogen activator (t-PA) in vivo. *M. Narita, G. Bu, J. Herz, and A. L. Schwartz* 1164

Nuclear factor-κB interacts functionally with the platelet-derived growth factor B-chain shear-stress response element in vascular endothelial cells exposed to fluid shear stress. *L. M. Khachigian, N. Resnick, M. A. Gimbrone, Jr., and T. Collins* 1169

August Author Index 1176

Correction 1179

Contents

The Journal of Clinical Investigation

September 1995, Volume 96, Number 3

Presidential Address

Presidential address to the American Society for Clinical Investigation, San Diego, California, 6 May, 1995. Values and value: the survival of biomedical research. *R. D. Klausner* 1181

Editorial

The unfolding story of megalin (gp330): now recognized as a drug receptor. *M. G. Farquhar* 1184

Regular Articles

The potent bone-resorbing mediator of *Actinobacillus actinomycetemcomitans* is homologous to the molecular chaperone GroEL. *A. C. Kirby, S. Meghji, S. P. Nair, P. White, K. Reddi, T. Nishihara, K. Nakashima, A. C. Willis, R. Sim, M. Wilson, and B. Henderson* 1185

Localization and rapid regulation of Na^+/*myo*-inositol cotransporter in rat kidney. *A. Yamauchi, A. Miyai, S. Shimada, Y. Minami, M. Tohyama, E. Imai, T. Kamada, and N. Ueda* 1195

Adhalin gene mutations in patients with autosomal recessive childhood onset muscular dystrophy with adhalin deficiency. *H. Kawai, M. Akaike, T. Endo, K. Adachi, T. Inui, T. Mitsui, S. Kashiwagi, T. Fujiwara, S. Okuno, S. Shin, K. Miyoshi, K. P. Campbell, H. Yamada, T. Shimizu, K. Matsumura, and S. Saito* 1202

Lactation as a model of naturally reversible hypercorticalism plasticity in the mechanisms governing hypothalamo-pituitary-adrenocortical activity in rats. *D. Fischer, V. K. Patchev, S. Hellbach, A. H. S. Hassan, and O. F. X. Almeida* 1208

Familial hypertrophic cardiomyopathy with Wolff-Parkinson-White syndrome maps to a locus on chromosome 7q3. *C. A. MacRae, N. Ghaisas, S. Kass, S. Donnelly, C. T. Basson, H. C. Watkins, R. Anan, L. H. Thierfelder, K. McGarry, E. Rowland, W. J. McKenna, J. G. Seidman, and C. E. Seidman* 1216

The effect of bronchial blood flow on hyperpnea-induced airway obstruction and injury. *A. N. Freed, C. Omori, and B. H. Schofield* . . . 1221

In vivo identification of a negative regulatory element in the mouse renin gene using direct gene transfer. *T. Yamada, M. Horiuchi, R. Morishita, L. Zhang, R. E. Pratt, and V. J. Dzau* 1230

Adenyl cyclase and interleukin 6 are downstream effectors of parathyroid hormone resulting in stimulation of bone resorption. *E. M. Greenfield, S. M. Shaw, S. A. Gornik, and M. A. Banks* 1238

Systemic administration of transforming growth factor-β2 prevents the impaired bone formation and osteopenia induced by unloading in rats. *M. Machwate, E. Zerath, X. Holy, M. Hott, D. Godet, A. Lomri, and P. J. Marie* 1245

Cyclosporine inhibition of calcineurin activity in human leukocytes in vivo is rapidly reversible. *T. D. Batiuk, F. Pazderka, J. Enns, L. DeCastro, and P. F. Halloran* 1254

Effects of fat on glucose uptake and utilization in patients with non–insulin-dependent diabetes. *G. Boden and X. Chen* 1261

Entamoeba histolytica trophozoites induce an inflammatory cytokine response by cultured human cells through the paracrine action of cytolytically released interleukin-1α. *L. Eckmann, S. L. Reed, J. R. Smith, and M. F. Kagnoff* 1269

Rapid transcriptional activation and early mRNA turnover of brain natriuretic peptide in cardiocyte hypertrophy. Evidence for brain natriuretic peptide as an "emergency" cardiac hormone against ventricular overload. *O. Nakagawa, Y. Ogawa, H. Itoh, S.-i. Suga, Y. Komatsu, I. Kishimoto, K. Nishino, T. Yoshimasa, and K. Nakao* . . . 1280

Tyrosine kinase inhibitor suppresses coronary arteriosclerotic changes and vasospastic responses induced by chronic treatment with interleukin-1β in pigs in vivo. *A. Ito, H. Shimokawa, T. Kadokami, Y. Fukumoto, M. K. Owada, T. Shiraishi, R. Nakaike, T. Takayanagi, K. Egashira, and A. Takeshita* 1288

Stimulation by thryoid-stimulating hormone and Graves' immunoglobulin G of vascular endothelial growth factor mRNA expression in human thyroid follicles in vitro and *flt* mRNA expression in the rat thryoid in vivo. *K. Sato, K. Yamazaki, K. Shizume, Y. Kanaji, T. Obara, K. Ohsumi, H. Demura, S. Yamaguchi, and M. Shibuya* . . . 1295

Transfer of allergic airway responses with antigen-primed CD4+ but not CD8+ T cells in Brown Norway rats. *A. Watanabe, H. Mishima, P. M. Renzi, L.-J. Xu, Q. Hamid, and J. G. Martin* 1303

Divergent pathways mediate the induction of ANF transgenes in neonatal and hypertrophic ventricular myocardium. *K. U. Knowlton, H. A. Rockman, M. Itani, A. Vovan, C. E. Seidman, and K. R. Chien* . . 1311

AIDS-associated Kaposi's sarcoma (KS) cells express oncostatin M (OM)–specific receptor but not leukemia inhibitory factor/OM receptor or interleukin-6 receptor. Complete block of OM-induced KS cell growth and OM binding by anti-gp130 antibodies. *K. Murakami-Mori, T. Taga, T. Kishimoto, and S. Nakamura* 1319

Maturational regulation of globotriaosylceramide, the Shiga-like toxin I receptor, in cultured human gut epithelial cells. *M. S. Jacewicz, D. W. K. Acheson, M. Mobassaleh, A. Donohue-Rolfe, K. A. Balasubramanian, and G. T. Keusch* 1328

Detection of platelet-derived growth factor (PDGF)-AA in actively healing human wounds treated with recombinant PDGF-BB and absence of PDGF in chronic nonhealing wounds. *G. F. Pierce, J. E. Tarpley, J. Tseng, J. Bready, D. Chang, W. C. Kenney, R. Rudolph, M. C. Robson, J. Vande Berg, P. Reid, S. Kaufman, and C. L. Farrell* 1336

Coexistence of C/EBPα, β, growth-induced proteins and DNA synthesis in hepatocytes during liver regeneration. Implications for maintenance of the differentiated state during liver growth. *L. E. Greenbaum, D. E. Cressman, B. A. Haber, and R. Taub* 1351

Enkephalins stimulate leukemia cell migration and surface expression of CD9. *W. Heagy, K. Duca, and R. W. Finberg* 1366

Study of the rat adrenal renin-angiotensin system at a cellular level. *C.-Y. Chiou, G. H. Williams, and I. Kifor* 1375

Heart CD36 expression is increased in murine models of diabetes and in mice fed a high fat diet. *D. E. Greenwalt, S. H. Scheck, and T. Rhinehart-Jones* 1382

Enhanced development of atherosclerosis in cholesterol-fed rabbits by suppression of cell-mediated immunity. *S. E. Roselaar, G. Schonfeld, and A. Daugherty* 1389

Advanced glycation endproducts interacting with their endothelial receptor induce expression of vascular cell adhesion molecule-1 (VCAM-1) in cultured human endothelial cells and in mice. A potential mechanism for the accelerated vasculopathy of diabetes. *A. M. Schmidt, O. Hori, J. X. Chen, J. F. Li, J. Crandall, J. Zhang, R. Cao, S. D. Yan, J. Brett, and D. Stern* 1395

Evidence that epithelial glycoprotein 330/megalin mediates uptake of polybasic drugs. *S. K. Moestrup, S. Cui, H. Vorum, C. Bregengård, S. E. Bjørn, K. Norris, J. Gliemann, and E. I. Christensen* 1404

Alteration of the adrenal antioxidant defense system during aging in rats. *S. Azhar, L. Cao, and E. Reaven* 1414

Specificity of prohormone convertase endoproteolysis of progastrin in AtT-20 cells. *C. J. Dickinson, M. Sawada, Y.-J. Guo, S. Finniss, and T. Yamada* 1425

Regulation of arachidonic acid, eicosanoid, and phospholipase A_2 levels in murine mast cells by recombinant stem cell factor. *A. N. Fonteh, J. M. Samet, and F. H. Chilton* 1432

Expression of human lecithin-cholesterol acyltransferase in transgenic mice. Effect of human apolipoprotein AI and human apolipoprotein AII on plasma lipoprotein cholesterol metabolism. *O. L. Francone, E. L. Gong, D. S. Ng, C. J. Fielding, and E. M. Rubin* 1440

Cyclic strain upregulates nitric oxide synthase in cultured bovine aortic endothelial cells. *M. A. Awolesi, W. C. Sessa, and B. E. Sumpio* 1449

Interactions of a very long chain fatty acid with model membranes and serum albumin. Implications for the pathogenesis of adrenoleukodystrophy. *J. K. Ho, H. Moser, Y. Kishimoto, and J. A. Hamilton* 1455

Ischemic preconditioning stimulates sodium and proton transport in isolated rat hearts. *R. Ramasamy, H. Liu, S. Anderson, J. Lundmark, and S. Schaefer* 1464

Dexamethasone enhances insulin-like growth factor-I effects on skeletal muscle cell proliferation. Role of specific intracellular signaling pathways. *F. Giorgino and R. J. Smith* 1473

Mercuric chloride, a chemical responsible for T helper cell (Th)2-mediated autoimmunity in Brown Norway rats, directly triggers T cells to produce interleukin 4. *P. Prigent, A. Saoudi, C. Pannetier, P. Graber, J.-Y. Bonnefoy, P. Druet, and F. Hirsch* 1484

Angiotensin II formation in the intact human heart. Predominance of the angiotensin-converting enzyme pathway. *L. S. Zisman, W. T. Abraham, G. E. Meixell, B. N. Vamvakias, R. A. Quaife, B. D. Lowes, R. L. Roden, S. J. Peacock, B. M. Groves, M. V. Raynolds, M. R. Bristow, and M. B. Perryman* 1490

The phosphorylation targets of $p47^{phox}$, a subunit of the respiratory burst oxidase. Functions of the individual target serines as evaluated by site-directed mutagenesis. *L. P. Faust, J. El Benna, B. M. Babior, and S. J. Chanock* 1499

Relationship of the 37,000- and 40,000-*M*, tryptic fragments of islet antigens in insulin-dependent diabetes to the protein tyrosine phosphatase-like molecule IA-2 (ICA512). *M. A. Payton, C. J. Hawkes, and M. R. Christie* 1506

Hyperreninemic hypoaldosteronism after chronic stress in the rat. *G. Aguilera, A. Kiss, and B. Sunar-Akbasak* 1512

Antibody-dependent completment-mediated cytotoxicity in sera from patients with HIV-1 infection is controlled by CD55 and CD59. *J. Schmitz, J. P. Zimmer, B. Kluxen, S. Aries, M. Bögel, I. Gigli, and H. Schmitz* 1520

Hepatitis B virus (HBV) sequence variation in cytotoxic T lymphocyte epitopes is not common in patients with chronic HBV infection. *B. Rehermann, C. Pasquinelli, S. M. Mosier, and F. V. Chisari* 1527

Transduction of folate receptor cDNA into cervical carcinoma cells using recombinant adeno-associated virions delays cell proliferation in vitro and in vivo. *X.-L. Sun, B. R. Murphy, Q.-J. Li, S. Gullapalli, J. Mackins, H. N. Jayaram, A. Srivastava, and A. C. Antony* 1535

Constitutive activation of different Jak tyrosine kinases in human T cell leukemia virus type 1 (HTLV-1) Tax protein or virus-transformed cells. *X. Xu, S.-H. Kang, O. Heidenreich, M. Okerholm, J. J. O'Shea, and M. I. Nerenberg* 1548

Cloning and regulation of expression of the rat kidney urea transporter (rUT2). *C. P. Smith, W.-S. Lee, S. Martial, M. A. Knepper, G. You, J. M. Sands, and M. A. Hediger* 1556

Blockade of C5a and C5b-9 generation inhibits leukocyte and platelet activation during extracorporeal circulation. *C. S. Rinder, H. M. Rinder, B. R. Smith, J. C. K. Fitch, M. J. Smith, J. B. Tracey, L. A. Matis, S. P. Squinto, and S. A. Rollins* 1564

Increased catabolic rate of low density lipoproteins in humans with cholesteryl ester transfer protein deficiency. *K. Ikewaki, M. Nishiwaki, T. Sakamoto, T. Ishikawa, T. Fairwell, L. A. Zech, M. Nagano, H. Nakamura, H. B. Brewer Jr., and D. J. Rader* 1573

A ryanodine receptor–like molecule expressed in the osteoclast plasma membrane functions in extracellular Ca^{2+} sensing. *M. Zaidi, V. S. Shankar, R. Tunwell, O. A. Adebanjo, J. Mackrill, M. Pazianas, D. O'Connell, B. J. Simon, B. R. Rifkin, A. R. Venkitaraman, C. L.-H. Huang, and F. A. Lai* 1582

Ethnic differences in polymorphism of an immunoglobulin V_H3 gene. *E. H. Sasso, J. H. Buckner, and L. A. Suzuki* 1591

CFTR and differentiation markers expression in non-CF and ΔF 508 homozygous CF nasal epithelium. *F. Dupuit, N. Kälin, S. Brézillon, J. Hinnrasky, B. Tümmler, and E. Puchelle* 1601

Apolipoprotein E deficiency in mice: gene replacement and prevention of atherosclerosis using adenovirus vectors. *V. S. Kashyap, S. Santamarina-Fojo, D. R. Brown, C. L. Parrott, D. Appelbaum-Bowden, S. Meyn, G. Talley, B. Paigen, N. Maeda, and H. B. Brewer Jr.* 1612

Changes in procoagulant and fibrinolytic gene expression during bleomycin-induced lung injury in the mouse. *M. A. Olman, N. Mackman, C. L. Gladson, K. M. Moser, and D. J. Loskutoff* 1621

Apoptosis in rheumatoid arthritis synovium. *G. S. Firestein, M. Yeo, and N. J. Zvaifler* 1631

Rapid Publications

Atherogenesis in transgenic mice with human apolipoprotein B and lipoprotein (a). *M. J. Callow, J. Verstuyft, R. Tangirala, W. Palinski, and E. M. Rubin* 1639

Molecular cloning of rat *obese* cDNA and augmented gene expression in genetically obese zucker fatty (*falfa*) rats. *Y. Ogawa, H. Masuzaki, N. Isse, T. Okazaki, K. Mori, M. Shigemoto, N. Satoh, N. Tamura, K. Hosoda, Y. Yoshimasa, H. Jingami, T. Kawada, and K. Nakao* . . . 1647

Iron supplementation generates hydroxyl radical in vivo. An ESR spin-trapping investigation. *M. B. Kadiiska, M. J. Burkitt, Q.-H. Xiang, and R. P. Mason* 1653

Expression of ob mRNA and its encoded protein in rodents. Impact of nutrition and obesity. *R. C. Frederich, B. Löllmann, A. Hamann, A. Napolitano-Rosen, B. B. Kahn, B. B. Lowell, and J. S. Flier* 1658

Alcohol intake modulates the effect of a polymorphism of the cholesteryl ester transfer protein gene on plasma high density lipoprotein and the risk of myocardial infarction. *F. Fumeron, D. Betoulle, G. Luc, I. Behague, S. Ricard, O. Poirier, R. Jemaa, A. Evans, D. Arveiler, P. Marques-Vidal, J.-M. Bard, J.-C. Fruchart, P. Ducimetière, M. Apfelbaum, and F. Cambien* 1664

Proadrenomedullin NH_2-terminal 20 peptide, a new product of the adrenomedullin gene, inhibits norepinephrine overflow from nerve endings. *T. Shimosawa, Y. Ito, K. Ando, K. Kitamura, K. Kangawa, and T. Fujita* 1672

Priming for high interferon-γ production induced by interleukin-12 in both $CD4^+$ and $CD8^+$ T cell clones from HIV-infected patients. *C. Paganin, I. Frank, and G. Trinchieri* 1677

Thrombopoietin expands erythroid progenitors, increases red cell production, and enhances erythroid recovery after myelosuppressive therapy. *K. Kaushansky, V. C. Broudy, A. Grossmann, J. Humes, N. Lin, H. P. Ren, M. C. Bailey, T. Papayannopoulou, J. W. Forstrom, and K. H. Sprugel* 1683

Induction of cyclooxygenase-2 in human umbilical vein endothelial cells by lysophosphatidylcholine. *A. Zembowicz, S. L. Jones, and K. K. Wu* . . 1688

September Index 1693

Contents

The Journal of Clinical Investigation
October 1995, Volume 96, Number 4

Editorials

Late-onset hereditary anemia: why the delay? *J. P. Kushner* 1695

Starve a tumor: therapeutic advice for breast cancer? *C. H. Damsky* . . 1696

Regular Articles

Absence of the mdr1a P-glycoprotein in mice affects tissue distribution and pharmacokinetics of dexamethasone, digoxin, and cyclosporin A. *A. H. Schinkel, E. Wagenaar, L. van Deemter, C. A. A. M. Mol, and P. Borst* 1698

Lyme borreliosis in transgenic mice tolerant to *Borrelia burgdorferi* OspA or B. *E. Fikrig, H. Tao, M. Chen, S. W. Barthold, and R. A. Flavell* 1706

Recombinant peanut allergen *Ara h* I expression and IgE binding in patients with peanut hypersensitivity. *A. W. Burks, G. Cockrell, J. S. Stanley, R. M. Helm, and G. A. Bannon* 1715

Insulin and insulin-like growth factor–I enhance human skeletal muscle protein anabolism during hyperaminoacidemia by different mechanisms. *D. A. Fryburg, L. A. Jahn, S. A. Hill, D. M. Oliveras, and E. J. Barrett* . 1722

Molecular analysis of a major antigenic region of the 240-kD protein of Mi-2 autoantigen. *Q. Ge, D. S. Nilasena, C. A. O'Brien, M. B. Frank, and I. N. Targoff* 1730

Possible links between glucose-induced changes in the energy state of pancreatic B cells and insulin release. Unmasking by decreasing a stable pool of adenine nucleotides in mouse islets. *P. Detimary, J.-C. Jonas, and J.-C. Henquin* 1738

Transfer of rheumatoid arthritis into severe combined immunodeficient mice. The pathogenetic implications of T cell populations oligoclonally expanding in the rheumatoid joints. *T. Mima, Y. Saeki, S. Ohshima, N. Nishimoto, M. Matsushita, M. Shimizu, Y. Kobayashi, T. Nomura, and T. Kishimoto* 1746

Identification and characterization of a gene regulating enzymatic glycosylation which is induced by diabetes and hyperglycemia specifically in rat cardiac tissue. *Y. Nishio, C. E. Warren, J. A. Buczek-Thomas, J. Rulfs, D. Koya, L. P. Aiello, E. P. Feener, T. B. Miller, Jr., J. W. Dennis, and G. L. King* 1759

Immunohistochemical localization of V2 vasopressin receptor along the nephron and functional role of luminal V2 receptor in terminal inner medullary collecting ducts. *H. Nonoguchi, A. Owada, N. Kobayashi, M. Takayama, Y. Terada, J. Koike, K. Ujiie, F. Marumo, T. Sakai, and K. Tomita* 1768

Markedly inhibited 7-dehydrocholesterol-Δ^7-reductase activity in liver microsomes from Smith-Lemli-Opitz homozygotes. *S. Shefer, G. Salen, A. K. Batta, A. Honda, G. S. Tint, M. Irons, E. R. Elias, T. C. Chen, and M. F. Holick* 1779

Parathyroid cell proliferation in normal and chronic renal failure rats. The effects of calcium, phosphate, and vitamin D. *T. Naveh-Many, R. Rahamimov, N. Livni, and J. Silver* 1786

Calcium- and CaMKII-dependent chloride secretion induced by the microsomal Ca^{2+}-ATPase inhibitor 2,5-di-(*tert*-butyl)-1,4-hydroquinone in cystic fibrosis pancreatic epithelial cells. *A. C. Chao, K. Kouyama, E. K. Heist, Y.-j Dong, and P. Gardner* 1794

Overexpression of glucose transporters in rat mesangial cells cultured in a normal glucose milieu mimics the diabetic phenotype. *C. W. Heilig, L. A. Concepcion, B. L. Riser, S. O. Freytag, M. Zhu, and P. Cortes* . . 1802

Antiintegrin $\alpha v\beta 3$ blocks human breast cancer growth and angiogenesis in human skin. *P. C. Brooks, S. Strömblad, R. Klemke, D. Visscher, F. H. Sarkar, and D. A. Cheresh* 1815

Angiotensin converting enzyme expression is increased in small pulmonary arteries of rats with hypoxia-induced pulmonary hypertension. *N. W. Morrell, E. N. Atochina, K. G. Morris, S. M. Danilov, and K. R. Stenmark* 1823

Expression of VAMP2-like protein in kidney collecting duct intracellular vesicles. Colocalization with Aquaporin-2 water channels. *S. Nielsen, D. Marples, H. Birn, M. Mohtashami, N. O. Dalby, W. Trimble, and M. Knepper* 1834

Genetic factors in lipoprotein metabolism. Analysis of a genetic cross between inbred mouse strains NZB/BINJ and SM/J using a complete linkage map approach. *D. A. Purcell-Huynh, A. Weinreb, L. W. Castellani, M. Mehrabian, M. H. Doolittle, and A. J. Lusis* 1845

Reduced uptake of oxidized low density lipoproteins in monocyte-derived macrophages from CD36-deficient subjects. *S. Nozaki, H. Kashiwagi, S. Yamashita, T. Nakagawa, B. Kostner, Y. Tomiyama, A. Nakata, M. Ishigami, J.-i. Miyagawa, K. Kameda-Takemura, Y. Kurata, and Y. Matsuzawa* 1859

In vitro cell injury by oxidized low density lipoprotein involves lipid hydroperoxide-induced formation of alkoxyl, lipid, and peroxyl radicals. *M. D. Coffey, R. A. Cole, S. M. Colles, and G. M. Chisolm* 1866

Phorbol esters induced death in MCF-7 breast cancer cells with altered expression of protein kinase C isoforms. Role for p53-independent induction of *gadd45* in initiating death. *J. E. de Vente, C. A. Kukoly, W. O. Bryant, K. J. Posekany, J. Chen, D. J. Fletcher, P. J. Parker, G. J. Petit, G. Lozano, P. P. Cook, and D. K. Ways* 1874

Neutrophils use both shared and distinct mechanisms to adhere to selectins under static and flow conditions. *K. D. Patel, K. L. Moore, M. U. Nollert, and R. P. McEver* 1887

Sympathetic neural mechanisms in obstructive sleep apnea. *V. K. Somers, M. E. Dyken, M. P. Clary, and F. M. Abboud* 1897

Intracellular signaling pathways required for rat vascular smooth muscle cell migration. Interactions between basic fibroblast growth factor and platelet-derived growth factor. *C. Bilato, R. R. Pauly, G. Melillo, R. Monticone, D. Gorelick-Feldman, Y. A. Gluzband, S. J. Sollott, B. Ziman, E. G. Lakatta, and M. T. Crow* 1905

Myoglobin O_2 desaturation during exercise. Evidence of limited O_2 transport. *R. S. Richardson, E. A. Noyszewski, K. F. Kendrick, J. S. Leigh, and P. D. Wagner* 1916

Influence of glutathione S-transferase B (ligandin) on the intermembrane transfer of bilirubin. Implications for the intracellular transport of nonsubstrate ligands in hepatocytes. *S. D. Zucker, W. Goessling, B. J. Ransil, and J. L. Gollan* 1927

Identification of a new susceptibility locus for insulin-dependent diabetes mellitus by ancestral haplotype congenic mapping. *H. Ikegami, S. Makino, E. Yamato, Y. Kawaguchi, H. Ueda, T. Sakamoto, K. Takekawa, and T. Ogihara* 1936

Molecular mechanisms of an inborn error of methionine pathway. Methionine adenoxyltransferase deficiency. *T. Ubagai, K.-J. Lei, S. Huang, S. H. Mudd, H. L. Levy, and J. Y. Chou* 1943

Comparative distribution of the α1(IV), α5(IV), and α6(IV) collagen chains in normal human adult and fetal tissues and in kidneys from X-linked Alport syndrome patients. *B. Peissel, L. Geng, R. Kalluri, C. Kashtan, H. G. Rennke, G. R. Gallo, K. Yoshioka, M. J. Sun, B. G. Hudson, E. G. Neilson, and J. Zhou* 1948

Human suction blister interstitial fluid prevents metal ion-dependent oxidation of low density lipoprotein by macrophages and in cell-free systems. *A. J. Dabbagh and B. Frei* 1958

Loss of hepatic autoregulation after carbohydrate overfeeding in normal man. *J. N. Clore, S. T. Helm, and W. G. Blackard* 1967

Mapping of quantitative trait loci for blood pressure and cardiac mass in rat by genome scanning of recombinant inbred strains. *M. Pravenec, D. Gauguier, J.-J. Schott, J. Buard, V. Kren, V. Bila, C. Szpirer, J. Szpirer, J.-M. Wang, H. Huang, E. St. Lezin, M. A. Spence, P. Flodman, M. Printz, G. M. Lathrop, G. Vergnaud, and T. W. Kurtz* . . 1973

Adenosine A_{2b} receptors evoke interleukin-8 secretion in human mast cells. An enprofylline-sensitive mechanism with implications for asthma. *I. Feoktistov and I. Biaggioni* 1979

Vitronectin enhances internalization of crocidolite asbestos by rabbit pleural mesothelial cells via the integrin $\alpha v\beta 5$. *A. M. Boylan, D. A. Sanan, D. Sheppard, and V. C. Broaddus* 1987

Functional expression and segmental localization of rat colonic K-adenosine triphosphatase. *J. Lee, V. M. Rajendran, A. S. Mann, M. Kashgarian, and H. J. Binder* 2002

Impairment of selectin-mediated leukocyte adhesion to venular endothelium in spontaneously hypertensive rats. *M. Suematsu, H. Suzuki, T. Tamatani, Y. Iigou, F. A. DeLano, M. Miyasaka, M. J. Forrest, R. Kannagi, B. W. Zweifach, Y. Ishimura, and G. W. Schmide-Schönbein* 2009

Expression and localization of endothelin-1 and endothelin receptors in human meningiomas. Evidence for a role in tumoral growth. *U. Pagotto, T. Arzberger, U. Hopfner, J. Sauer, U. Renner, C. J. Newton, M. Lange, E. Uhl, A. Weindl, and G. K. Stalla* 2017

Rapid Publications

Intratracheal instillation of keratinocyte growth factor decreases hyperoxia-induced mortality in rats. *R. J. Panos, P. M. Bak, W. S. Simonet, J. S. Rubin, and L. J. Smith* 2026

Stable fetal cardiomyocyte grafts in the hearts of dystrophic mice and dogs. *G. Y. Koh, M. H. Soonpaa, M. G. Klug, H. P. Pride, B. J. Cooper, D. P. Zipes, and L. J. Field* 2034

Binding-, intracellular transport-, and biosynthesis-defective mutants of vasopressin type 2 receptor in patients with X-linked nephrogenic diabetes insipidus. *H. Tsukaguchi, H. Matsubara, S. Taketani, Y. Mori, T. Seido, and M. Inada* 2043

A mouse model for the ΔF508 allele of cystic fibrosis. *B. G. Zeiher, E. Eichwald, J. Zabner, J. J. Smith, A. P. Puga, P. B. McCray, Jr., M. R. Capecchi, M. J. Welsh, and K. R. Thomas* 2051

Recombinant *ob* protein reduces feeding and body weight in the *ob/ob* mouse. *D. S. Weigle, T. R. Bukowski, D. C. Foster, S. Holderman, J. M. Kramer, G. Lasser, C. E. Lofton-Day, D. E. Prunkard, C. Raymond, and J. L. Kuijper* 2065

Decreased early atherosclerotic lesions in hypertriglyceridemic mice expressing cholesteryl ester transfer protein transgene. *T. Hayek, L. Masucci-Magoulas, X. Jiang, A. Walsh, E. Rubin, J. L. Breslow, and A. R. Tall* 2071

Beta-carotene inhibits atherosclerosis in hypercholesterolemic rabbits. *A. Shaish, A. Daugherty, F. O'Sullivan, G. Schonfeld, and J. W. Heinecke* 2075

Sheep lung cytochrome *P4501A1 (CYP1A1)*: cDNA cloning and transcriptional regulation by oxygen tension. *T. A. Hazinski, E. Noisin, I. Hamon, and A. DeMatteo* 2083

Late-onset X-linked sideroblastic anemia. *P. D. Cotter, A. May, E. J. Fitzsimons, T. Houston, B. E. Woodcock, A. I. Al-Sabah, L. Wong, and D. F. Bishop* 2090

October Index 2097

Contents

The Journal of Clinical Investigation

November 1995, Volume 96, Number 5

Editorials

Does a toxic gas regulate hepatic sinusoidal blood flow? *R. S. McCuskey* 2099

Is the inherited ACE genotype a trump or a joker? *W. E. Mitch* 2100

Dogma destroyed: Colonic crypts absorb. *D. W. Powell* 2102

Carboxypeptidases: New regulators of plasminogen activation in vivo? *D. J. Loskutoff* 2104

Regular Articles

Evidence for a streptococcal superantigen–driven process in acute guttate psoriasis. *D. Y. M. Leung, J. B. Travers, R. Giorno, D. A. Norris, R. Skinner, J. Aelion, L. V. Kazemi, M. H. Kim, A. E. Trumble, M. Kotb, and P. M. Schlievert* 2106

Sensitivity and protein turnover response to glucocorticoids are different in skeletal muscle from adult and old rats. Lack of regulation of the ubiquitin-proteasome proteolytic pathway in aging. *D. Dardevet, C. Sornet, D. Taillandier, I. Savary, D. Attaix, and J. Grizard* 2113

Enhanced collagen synthesis and transcription by peak E, a contaminant of L-tryptophan preparations associated with the eosinophilia myalgia syndrome epidemic. *H. Takagi, M. S. Ochoa, L. Zhou, T. Helfman, H. Murata, and V. Falanga* 2120

Urea inhibits NaK2Cl cotransport in human erythrocytes. *J. Lim, C. Gasson, and D. M. Kaji* 2126

The genetic and functional basis of purine nucleotide feedback-resistant phosphoribosylpyrophosphate synthetase superactivity. *M. A. Becker, P. R. Smith, W. Taylor, R. Mustafi, and R. L. Switzer* 2133

Ammonia inhibits cAMP-regulated intestinal Cl^- transport. Asymmetric effects of apical and basolateral exposure and implications for epithelial barrier function. *M. Prasad, J. A. Smith, A. Resnick, C. S. Awtrey, B. J. Hrnjez, and J. B. Matthews* 2142

Apo B gene knockout in mice results in embryonic lethality in homozygotes and neural tube defects, male infertility, and reduced HDL cholesterol ester and apo A-I transport rates in heterozygotes. *L.-S. Huang, E. Voyiaziakis, D. F. Markenson, K. A. Sokol, T. Hayek, and J. L. Breslow* 2152

Role of the deletion polymorphism of the angiotensin converting enzyme gene in the progression and therapeutic responsiveness of IgA nephropathy. *H. Yoshida, T. Mitarai, T. Kawamura, T. Kitajima, Y. Miyazaki, R. Nagasawa, Y. Kawaguchi, H. Kubo, I. Ichikawa, and O. Sakai* 2162

Macrophage-specific expression of human apolipoprotein E reduces atherosclerosis in hypercholesterolemic apolipoprotein E–null mice. *S. Bellosta, R. W. Mahley, D. A. Sanan, J. Murata, D. L. Newland, J. M. Taylor, and R. E. Pitas* 2170

The aldehyde dehydrogenase *ALDH2*2* allele exhibits dominance over *ALDH2*1* in transduced HeLa cells. *Q. Xiao, H. Weiner, T. Johnston, and D. W. Crabb* 2180

Activation of protein kinase A acutely inhibits and phosphorylates Na/H exchanger NHE-3. *O. W. Moe, M. Amemiya, and Y. Yamaji* 2187

Distinct roles for B7-1 (CD-80) and B7-2 (CD-86) in the initiation of experimental allergic encephalomyelitis. *M. K. Racke, D. E. Scott, L. Quigley, G. S. Gray, R. Abe, C. H. June, and P. J. Perrin* 2195

Diverse *Pseudomonas aeruginosa* gene products stimulate respiratory epithelial cells to produce interleukin-8. *E. DiMango, H. J. Zar, R. Bryan, and A. Prince* 2204

Activation of cultured vascular endothelial cells by antiphospholipid antibodies. *R. Simantov, J. M. LaSala, S. K. Lo, A. E. Gharavi, L. R. Sammaritano, J. E. Salmon, and R. L. Silverstein* 2211

Mechanisms of alphafetoprotein transfer in the perfused human placental cotyledon from uncomplicated pregnancy. *P. Brownbill, D. Edwards, C. Jones, D. Mahendran, D. Owen, C. Sibley, R. Johnson, P. Swanson, and D. M. Nelson* 2220

Potent inhibitory effects of transplantable rat glucagonomas and insulinomas on the respective endogenous islet cells are associated with pancreatic apoptosis. *N. Blume, J. Skouv, L.-I. Larsson, J. J. Holst, and O. D. Madsen* 2227

Glucocorticoid-suppressible hyperaldosteronism and adrenal tumors occurring in a single French pedigree. *L. Pascoe, X. Jeunemaitre, M.-C. Lebrethon, K. M. Curnow, C. E. Gomez-Sanchez, J.-M. Gasc, J. M. Saez, and P. Corvol* 2236

Stretch-induced programmed myocyte cell death. *W. Cheng, B. Li, J. Kajstura, P. Li, M. S. Wolin, E. H. Sonnenblick, T. H. Hintze, G. Olivetti, and P. Anversa* 2247

Adenovirus-mediated over-expression of the cyclin/cyclin-dependent kinase inhibitor, p21 inhibits vascular smooth muscle cell proliferation and neointima formation in the rat carotid artery model of balloon angioplasty. *M. W. Chang, E. Barr, M. M. Lu, K. Barton, and J. M. Leiden* 2260

Two different *cis*-acting regulatory regions direct cell-specific transcription of the collagen α_1(I) gene in hepatic stellate cells and in skin and tendon fibroblasts. *K. Houglum, M. Buck, J. Alcorn, S. Contreras, P. Bornstein, and M. Chojkier* 2269

Acid extrusion is induced by osteoclast attachment to bone. Inhibition by alendronate and calcitonin. *Z. Zimolo, G. Wesolowski, and G. A. Rodan* 2277

The relation between atrial fibrillation wavefront characteristics and accessory pathway conduction. *J. J. C. Ong, Y.-M. Cha, J. M. Kreitt, K. Boyce, G. K. Feld, and P.-S. Chen* 2284

Gender differences in regional fatty acid metabolism before and after meal ingestion. *M. D. Jensen* 2297

IL-10 inhibits metalloproteinase and stimulates TIMP-1 production in human mononuclear phagocytes. *S. Lacraz, L. P. Nicod, R. Chicheportiche, H. G. Welgus, and J.-M. Dayer* 2304

HLA class I-restricted cytotoxic T lymphocytes specific for hepatitis C virus. Identification of multiple epitopes and characterization of patterns of cytokine release. *M. J. Koziel, D. Dudley, N. Afdhal, A. Grakoui, C. M. Rice, Q.-L. Choo, M. Houghton, and B. D. Walker* 2311

Oxidatively modified LDL contains phospholipids with platelet-activating factor—like activity and stimulates the growth of smooth muscle cells. *J. M. Heery, M. Kozak, D. M. Stafforini, D. A. Jones, G. A. Zimmmerman, T. M. McIntyre, and S. M. Prescott* 2322

Effects of reciprocal treatment with estrogen and estrogen plus parathyroid hormone on bone structure and strength in ovariectomized rats. *V. Shen, R. Birchman, R. Xu, M. Otter, D. Wu, R. Lindsay, and D. W. Dempster* 2331

Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. *D. J. Berg, R. Kühn, K. Rajewsky, W. Müller, S. Menon, N. Davidson, G. Grünig, and D. Rennick* 2339

Tubulointerstitial injury induced in rats by a monoclonal antibody that inhibits function of a membrane inhibitor of complement. *A. Nomura, K. Nishikawa, Y. Yuzawa, H. Okada, N. Okada, B. P. Morgan, S. J. Piddlesden, M. Nadai, T. Hasegawa, and S. Matsuo* 2348

Nitric oxide production and inducible nitric oxide synthase expression in inflammatory arthritides. *H. Sakurai, H. Kohsaka, M.-F. Liu, H. Higashiyama, Y. Hirata, K. Kanno, I. Saito, and N. Miyasaka* 2357

Mechanical strain of rat vascular smooth muscle cells is sensed by specific extracellular matrix/integrin interactions. *E. Wilson, K. Sudhir, and H. E. Ives* 2364

Fluid absorption in isolated perfused colonic crypts. *S. K. Singh, H. J. Binder, W. F. Boron, and J. P. Geibel* 2373

Virulent strain-associated outer membrane proteins of *Borrelia burgdorferi*. *J. T. Skare, E. S. Shang, D. M. Foley, D. R. Blanco, C. I. Champion, T. Mirzabekcov, Y. Sokolov, B. L. Kagan, J. N. Miller, and M. A. Lovett* 2380

Airway hyperresponsiveness in asthma: a problem of limited smooth muscle relaxation with inspiration. *G. Skloot, S. Permutt, and A. Togias* 2393

Immunoglobulin prevents complement-mediated hyperacute rejection in swine-to-primate xenotransplantation. *J. C. Magee, B. H. Collins, R. C. Harland, B. J. Lindman, R. R. Bollinger, M. M. Frank, and J. L. Platt* 2404

Stimulation of α1(I) procollagen gene expression in NIH-3T3 cells by the human T cell leukemia virus type I (HTLV-1) Tax gene. *E. Muñoz, D. Suri, S. Amini, K. Khalili, and S. A. Jiménez* 2413

Type 3 iodothyronine deiodinase: cloning, in vitro expression, and functional analysis of the placental selenoenzyme. *D. Salvatore, S. C. Low, M. Berry, A. L. Maia, J. W. Harney, W. Croteau, D. L. St. Germain, and P. R. Larsen* 2421

Carbon monoxide: an endogenous modulator of sinusoidal tone in the perfused rat liver. *M. Suematsu, N. Goda, T. Sano, S. Kashiwagi, T. Egawa, Y. Shinoda, and Y. Ishimura* 2431

Regulation of lipoprotein lipase translation by epinephrine in 3T3-L1 cells. Importance of the 3′ untranslated region. *A. Yu..t, R. C. Davis, J. M. Ong, G. Ranganathan, and P. A. Kern* 2438

Respiratory syncytial virus induces interleukin-10 by human alveolar macrophages. Suppression of early cytokine production and implications for incomplete immunity. *J. R. Panuska, R. Merolla, N. A. Rebert, S. P. Hoffmann, P. Tsivitse, N. M. Cirino, R. H. Silverman, and J. A. Rankin* 2445

Transplantation of transduced chrondrocytes protects articular cartilage from interleukin 1–induced extracellular matrix degradation. *V. M. Baragi, R. R. Renkiewicz, H. Jordan, J. Bonadio, J. W. Hartman, and B. J. Roessler* 2454

Activation of hepatic stellate cells by TGFα and collagen type I is mediated by oxidative stress through c-*myb* expression. *K. S. Lee, M. Buck, K. Houglum, and M. Chojkier* 2461

Angiotensin II–induced cardiac fibrosis in the rat is increased by chronic inhibition of nitric oxide synthase. *J. Hou, H. Kato, R. A. Cohen, A. V. Chobanian, and P. Brecher* 2469

Brain endothelial cell infection in children with acute fatal measles. *L. M. Esolen, K. Takahashi, R. T. Johnson, A. Vaisberg, T. R. Moench, S. L. Wesselingh, and D. E. Griffin* 2478

Rapid Publications

Estrogen inhibits the response-to-injury in a mouse carotid artery model. *T. R. Sullivan, Jr., R. H. Karas, M. Aronovitz, G. T. Faller, J. P. Ziar, J. J. Smith, T. F. O'Donnell, Jr. and M. E. Mendelsohn* 2482

Human and rat beta cells differ in glucose transporter but not in glucokinase gene expression. *A. De Vos, H. Heimberg, E. Quartier, P. Huypens, L. Bouwens, D. Pipeleers, and F. Schuit* 2489

Somatostatin coordinately regulates glucagon gene expression and exocytosis in HIT-T15 cells. *D. M. Kendall, V. Poitout, L. K. Olson, R. L. Sorenson, and R. P. Robertson* 2496

Production, characterization, and expression of neuropeptide Y by human pheochromocytoma. *P. deS Senanayake, J. Denker, E. L. Bravo, and R. M. Graham* 2503

Expression of the thiazide-sensitive Na-Cl cotransporter by rabbit distal convoluted tubule cells. *S. Bachmann, H. Velázquez, N. Obermüller, R. F. Reilly, D. Moser, and D. H. Ellison* 2510

Angiotensin induction of PAI-1 expression in endothelial cells is mediated by the hexapeptide angiotensin IV. *D. M. Kerins, Q. Hao, and D. E. Vaughan* 2515

Expression of a constitutive NF-κB-like activity is essential for proliferation of cultured bovine vascular smooth muscle cells. *R. E. Bellas, J. S. Lee, and G. E. Sonenshein* 2521

Uptake and release of glucose by the human kidney postabsorptive rates and responses to epinephrine. *M. Stumvoll, U. Chintalapudi, G. Perriello, S. Welle, O. Gutierrez, and J. Gerich* 2528

Plasma carboxypeptidases as regulators of the plasminogen system. *A. Redlitz, A. K. Tan, D. L. Eaton, and E. F. Plow* 2534

November Index 2539

Correction 2541

Correction 2543

Contents

The Journal of Clinical Investigation
December 1995, Volume 96, Number 6

Editorials

Good and laudable pus. *S. L. Gorbach* 2545

Why there is an IRS. *R. M. O'Brien and D. K. Granner* 2546

Perspectives

Gene therapy for cystic fibrosis: challenges and future directions. *J. M. Wilson* 2547

Regular Articles

Severe hypertriglyceridemia, reduced high density lipoprotein, and neonatal death in lipoprotein lipase knockout mice. Mild hypertriglyceridemia with impaired very low density lipoprotein clearance in heterozygotes. *P. H. Weinstock, C. L. Bisgaier, K. Aalto-Setälä, H. Radner, R. Ramakrishnan, S. Levak-Frank, A. D. Essenburg, R. Zechner, and J. L. Breslow* 2555

Autoantibodies against heat shock protein 60 mediate endothelial cytotoxicity. *G. Schett, Q. Xu, A. Amberger, R. Van der Zee, H. Recheis, J. Willeit, and G. Wick* 2569

Endogenous production of interleukin 15 by activated human monocytes is critical for optimal production of interferon-γ by natural killer cells in vitro. *W. E. Carson, M. E. Ross, R. A. Baiocchi, M. J. Marien, N. Boiani, K. Grabstein, and M. A. Caligiuri* 2578

Sustained inhibition of intimal thickening. In vitro and in vivo effects of polymeric β-cyclodextrin sulfate. *W. B. Bachinsky, E. S. Barnathan, H. Liu, S. S. Okada, A. Kuo, P. N. Raghunath, M. Muttreja, R. J. Caron, J. E. Tomaszewski, P. B. Weisz, and M. A. Golden* 2583

Expression of plasminogen activator inhibitor type 1 by human prostate carcinoma cells inhibits primary tumor growth, tumor-associated angiogenesis, and metastasis to lung and liver in an athymic mouse model. *G. A. Soff, J. Sanderowitz, S. Gately, E. Verrusio, I. Weiss, S. Brem, and H. C. Kwaan* 2593

Common genetic variation in the promoter of the human apo CIII gene abolishes regulation by insulin and may contribute to hypertriglyceridemia. *W. W. Li, M. M. Dammerman, J. D. Smith, S. Metzger, J. L. Breslow, and T. Leff* 2601

Serum IgG autoantibodies directed against the α chain of FcεRI: a selective marker and pathogenetic factor for a distinct subset of chronic urticaria patients? *E. Fiebiger, D. Maurer, H. Holub, B. Reininger, G. Hartmann, M. Woisetschläger, J.-P. Kinet, and G. Stingl* 2606

Cholesterol efflux potential of sera from mice expressing human cholesteryl ester transfer protein and/or human apolipoprotein AI. *V. Atger, M. de la Llera Moya, M. Bamberger, O. Francone, P. Cosgrove, A. Tall, A. Walsh, N. Moatti, and G. Rothblat* 2613

Molecular basis of spectrin deficiency in β spectrin Durham. A deletion within β spectrin adjacent to the ankyrin-binding site precludes spectrin attachment to the membrane in hereditary spherocytosis. *H. Hassoun, J. N. Vassiliadis, J. Murray, S. J. Yi, M. Hanspal, R. E. Ware, S. S. Winter, S.-S. Chiou, and J. Palek* 2623

Inhibition of neointimal proliferation in rabbits after vascular injury by a single treatment with a protein adduct of nitric oxide. *D. S. Marks, J. A. Vita, J. D. Folts, J. F. Keaney, Jr., G. N. Welch, and J. Loscalzo* . . 2630

Impaired activity and gene expression of hexokinase II in muscle from non–insulin-dependent diabetes mellitus patients. *H. Vestergaard, C. Bjørbæk, T. Hansen, F. S. Larsen, D. K. Granner, and O. Pedersen* . 2639

Clusterin promotes the aggregation and adhesion of renal porcine epithelial cells. *J. R. Silkensen, K. M. Skubitz, A. P. N. Skubitz, D. H. Chmielewski, J. C. Manivel, J. A. Dvergsten, and M. E. Rosenberg* 2646

Inhibitory effect of porcine surfactant on the respiratory burst oxidase in human neutrophils. Attenuation of $p47^{phox}$ and $p67^{phox}$ membrane translocation as the mechanism. *W. Chao, R. G. Spragg, and R. M. Smith* 2654

Regulation of bovine endothelial constitutive nitric oxide synthase by oxygen. *J. K. Liao, J. J. Zulueta, F.-S. Yu, H.-B. Peng, C. G. Cote, and P. M. Hassoun* 2661

Decreased type II/type I TGF-β receptor ratio in cells derived from human atherosclerotic lesions. Conversion from an antiproliferative to profibrotic response to TGF-β1. *T. A. McCaffrey, S. Consigli, B. Du, D. J. Falcone, T. A. Sanborn, A. M. Spokojny, and H. L. Bush, Jr.* . . . 2667

Endothelial cell expression of vasoconstrictors and growth factors is regulated by smooth muscle cell–derived carbon monoxide. *T. Morita and S. Kourembanas* 2676

Calcium-sensing receptor mutations in familial benign hypercalcemia and neonatal hyperparathyroidism. *S. H. S. Pearce, D. Trump, C. Wooding, G. M. Besser, S. L. Chew, D. B. Grant, D. A. Heath, I. A. Hughes, C. R. Paterson, M. P. Whyte, and R. V. Thakker* 2683

Effects of the apolipoprotein E polymorphism on uptake and transfer of cell-derived cholesterol in plasma. *Y. Huang, A. von Eckardstein, S. Wu, and G. Assmann* 2693

The α form of human tryptase is the predominant type present in blood at baseline in normal subjects and is elevated in those with systemic mastocytosis. *L. B. Schwartz, K. Sakai, T. R. Bradford, S. Ren, B. Zweiman, A. S. Worobec, and D. D. Metcalfe* 2702

Anti-thrombotic effects of a nitric oxide–releasing, gastric-sparing aspirin derivative. *J. L. Wallace, W. McKnight, P. Del Soldato, A. R. Baydoun, and G. Cirino* 2711

Expression and localization of inducible and endothelial nitric oxide synthase in the rat ovary. Effects of gonadotropin stimulation in vivo. *B. J. Van Voorhis, K. Moore, P. J. L. M. Strijbos, S. Nelson, S. A. Baylis, D. Grzybicki, and C. P. Weiner* 2719

Polysaccharide-mediated protection against abscess formation in experimental intra-abdominal sepsis. *A. O. Tzianabos, D. L. Kasper, R. L. Cisneros, R. S. Smith, and A. B. Onderdonk* 2727

Immunoglobulin κ chain allotypes (KM) in onchocerciasis. *J. P. Pandey, L. H. Elson, S. E. Sutherland, R. H. Guderian, E. Araujo, and T. B. Nutman* 2732

Short-term alterations in carbohydrate energy intake in humans. Striking effects on hepatic glucose production, de novo lipogenesis, lipolysis, and whole-body fuel selection. *J.-M. Schwarz, R. A. Neese, S. Turner, D. Dare, and M. K. Hellerstein* 2735

Genetic instability in patients with Hodgkin's disease undergoing chemotherapy. *J. M. Abdallah, D. P. Lombardi, and I. R. Kirsch* 2744

rENaC is the predominant Na^+ channel in the apical membrane of the rat renal inner medullary collecting duct. *K. A. Volk, R. D. Sigmund, P. M. Snyder, F. J. McDonald, M. J. Welsh, and J. B. Stokes* 2748

Anti-inflammatory HDL becomes pro-inflammatory during the acute phase response. Loss of protective effect of HDL against LDL oxidation in aortic wall cell cocultures. *B. J. Van Lenten, S. Y. Hama, F. C. de Beer, D. M. Stafforini, T. M. McIntyre, S. M. Prescott, B. N. La Du, A. M. Fogelman, and M. Navab* 2758

Alteration of growth responses in established cardiac pressure overload hypertrophy in rats with aortic banding. *H. Schunkert, E. O. Weinberg, G. Bruckschlegel, A. J. G. Riegger, and B. H. Lorell* 2768

Breast cancer selective gene expression and therapy mediated by recombinant adenoviruses containing the DF3/MUC1 promoter. *L. Chen, D. Chen, Y. Manome, Y. Dong, H. A. Fine, and D. W. Kufe* 2775

A unique genetic and biochemical presentation of fish-eye disease. *J. A. Kuivenhoven, E. J. G. M. van Voorst tot Voorst, H. Weibusch, S. M. Marcovina, H. Funke, G. Assmann, P. H. Pritchard, and J. J. P. Kastelein* 2783

Glucosamine induces insulin resistance in vivo by affecting GLUT 4 translocation in skeletal muscle. Implications for glucose toxicity. *A. D. Baron, J.-S. Zhu, J.-H. Zhu, H. Weldon, L. Maianu, and W. T. Garvey* 2792

Skeletal muscle membrane lipid composition is related to adioposity and insulin action. *D. A. Pan, S. Lillioja, M. R. Milner, A. D. Kriketos, L. A. Baur, C. Bogardus, and L. H. Storlien* 2802

Basic fibroblast growth factor augments podocyte injury and induces glomerulosclerosis in rats with experimental membranous nephropathy. *J. Floege, W. Kriz, M. Schulze, M. Susani, D. Kerjaschki, A. Mooney, W. G. Couser, and K. M. Koch* 2809

Glucose transport in cultured human skeletal muscle cells. Regulation by insulin and glucose in nondiabetic and non–insulin-dependent diabetes mellitus subjects. *T. P. Ciaraldi, L. Abrams, S. Nikoulina, S. Mudaliar, and R. R. Henry* 2820

Replacement therapy for hypothyroidism with thyroxine alone does not ensure euthyroidism in all tissues, as studied in thyroidectomized rats. *H. F. Escobar-Morreale, M. J. Obregón, F. E. del Rey, and G. M. de Escobar* 2828

IL-6 and IL-8 production from cultured human endothelial cells stimulated by infection with *Rickettsia conorii* via a cell-associated IL-1α–dependent pathway. *G. Kaplanski, N. Teysseire, C. Farnarier, S. Kaplanski, J.-C. Lissitzky, J.-M. Durand, J. Soubeyrand, C. A. Dinarello, and P. Bongrand* 2839

In vivo demonstration of red cell–endothelial interaction, sickling and altered microvascular response to oxygen in the sickle transgenic mouse. *D. K. Kaul, M. E. Fabry, F. Costantini, E. M. Rubin, and R. L. Nagel* . . 2845

Aberrant hepatic processing causes removal of activation peptide and primary polymerisation site from fibronogen Canterbury (Aα 20 Val→Asp). *S. O. Brennan, B. Hammonds, and P. M. George* 2854

Damage to type II collagen in aging and osteoarthritis starts at the articular surface, originates around chondrocytes, and extends into the cartilage with progressive degeneration. *A. P. Hollander, I. Pidoux, A. Reiner, C. Rorabeck, R. Bourne, and A. R. Poole* 2859

β-Adrenergic modulation of the inwardly rectifying potassium channel in isolated human ventricular myocytes. Alteration in channel response to β-adrenergic stimulation in failing human hearts. *S.-i. Koumi, C. L. Backer, C. E. Arentzen, and R. Sato* 2870

Protective effect of high density lipoprotein associated paraoxonase. Inhibition of the biological activity of minimally oxidized low density lipoprotein. *A. D. Watson, J. A. Berliner, S. Y. Hama, B. N. La Du, K. F. Faull, A. M. Folgelman, and M. Navab* 2882

Temporal correlation between maximum tetanic force and cell death in postischemic rat skeletal muscle. *H. Suzuki, D. C. Poole, B. W. Zweifach, and G. W. Schmid-Schönbein* 2892

Neutrophil adhesion in leukocyte adhesion deficiency syndrome type 2. *M. L. Phillips, B. R. Schwartz, A. Etzioni, R. Bayer, H. D. Ochs, J. C. Paulson, and J. M. Harlan* 2898

Carbonic anhydrase IV expression in rat and human gastrointestinal tract regional, cellular, and subcellular localization. *R. E. Fleming, S. Parkkila, A.-K. Parkkila, H. Rajaniemi, A. Waheed, and W. S. Sly* . . 2907

Expression of the mitochondrial uncoupling protein gene from the aP2 gene promoter prevents genetic obesity. *J. Kopecky, G. Clarke, S. Enerbäck, B. Spiegelman, and L. P. Kozak* 2914

Activation of the Fas receptor on lung eosinophils leads to apoptosis and the resolution of eosinophilic inflammation of the airways. *S. Tsuyuki, C. Bertrand, F. Erard, A. Trifilieff, J. Tsuyuki, M. Wesp, G. P. Anderson, and A. J. Coyle* 2924

A genetic model for absent chylomicron formation: mice producing apolipoprotein B in the liver, but not in the intestine. *S. G. Young, C. M. Cham, R. E. Pitas, B. J. Burri, A. Connolly, L. Flynn, A. S. Pappu, J. S. Wong, R. L. Hamilton, and R. V. Farese, Jr.* 2932

Gene targeting in mice reveals a requirement for angiotensin in the development and maintenance of kidney morphology and growth factor regulation. *F. Niimura, P. A. Labosky, J. Kakuchi, S. Okubo, H. Yoshida, T. Oikawa, T. Ichiki, A. J. Naftilan, A. Fogo, T. Inagami, B. L. M. Hogan, and I. Ichikawa* 2947

Adenovirus-mediated gene transfer into normal rabbit arteries results in prolonged vascular cell activation, inflammation, and neointimal hyperplasia. *K. D. Newman, P. F. Dunn, J. W. Owens, A. H. Schulick, R. Virmani, G. Sukhova, P. Libby, and D. A. Dichek* 2955

Rapid Publications

Antibody facilitation of multiple sclerosis-like lesions in a nonhuman primate. *C. P. Genain, M.-H. Nguyen, N. L. Letvin, R. Pearl, R. L. Davis, M. Adelman, M. B. Lees, C. Linington, and S. L. Hauser* 2966

Angiotensin converting enzyme as a genetic risk factor for coronary artery spasm. Implication in the pathogenesis of myocardial infarction. *Y. Oike, A. Hata, Y. Ogata, Y. Numata, K. Shido, and K. Kondo* 2975

Targeted tumor killing via an intracellular antibody against erbB-2. *J. Deshane, G. P. Siegal, R. D. Alvarez, M. H. Wang, M. Feng, G. Cabrera, T. Liu, M. Kay, and D. T. Curiel* 2980

Immune tolerance to autoantibody-derived peptides delays development of autoimmunity in murine lupus. *R. R. Singh, F. M. Ebling, E. E. Sercarz, and V. H. Hahn* 2990

Genotypic analysis of respiratory mucous sulfation defects in cystic fibrosis. *Y. Zhang, B. Doranz, J. R. Yankaskas, and J. F. Engelhardt* . . 2997

A variant of human paraoxonase/arylesterase (*HUMPONA*) gene is a risk factor for coronary artery disease. *M. Serrato and A. J. Marian* . . 3005

A new subgroup of lectin-bound biliary proteins binds to cholesterol crystals, modifies crystal morphology, and inhibits cholesterol crystallization. *N. Busch, F. Lammert, H.-U. Marschall, and S. Matern* 3009

December Author Index 3016

Author Index to Volume 96 3018